



Lighting Products

Reliable illumination at affordable prices.



GSS offers an extensive array of lighting products for application on school buses and commercial vehicles. Safety is always a top priority, so we prioritize getting these products to you quickly and efficiently.


Warning Lights 33 LEDs provide outstanding illumination and visibility, enhancing school bus safety.

<p>7" Red Part Number: 73800121</p>	<p>7" Amber Part Number: 73800221</p>	<p>Shape: Round Dimensions: 7.17" Diameter x 1.45" Height Certifications: FMVSS 108 Mounting: Surface Mount (4 screws) Wire Length: 7.28"</p>  <p><i>Back/Mounting Surface</i></p>
		


Signal Lights Clearly signal your intentions with our high-visibility family of school bus signal lights.

<p>7" Red Stop/Tail Part Number: 79125121</p>	<p>7" Amber Turn Part Number: 79125221</p>	<p>Shape: Round Dimensions: 7.17" Diameter x 1.45" Height Certifications: FMVSS 108 Mounting: Surface Mount (4 screws) Wire Length: 5.25"</p>  <p><i>Back/Mounting Surface</i></p>
		

7" Reverse
Part Number: 79125322



Shape: Round
Dimensions: 7.08" Diameter x 1.16"
Certifications: FMVSS 108
Mounting: Surface Mount (4 screws)
Wire Length: 10" — ring terminal on ground wire



Back/Mounting Surface

4" Stop/Tail/License Plate Combo
Part Number: 74092121




Shape: Round
Dimensions: 3.76" Diameter x 2.28" (excluding studs)
Certifications: FMVSS 108
Mounting: Surface Mount — 2 studs attached (nuts included). Studs are removable
Wire Length: 7" — ring terminal on ground wire

4" Reverse with Pigtail
Part Number: 74101022




Shape: Round
Dimensions: 4.2" Base Diameter, 4.3" Lens Diameter, 1" Height (1.9" at Connector)
Certifications: FMVSS 108
Mounting: Grommet Mount (Grommet Included)
Connector: Integrated — Includes P3 connector-to-bare wire pigtail (12" wire length)

4" Amber Turn
Part Number: 74101222



Shape: Round
Dimensions: 4.2" Base Diameter, 4.3" Lens Diameter, 1" height (1.9" at Connector)
Certifications: FMVSS 108
Mounting: Grommet Mount (Grommet Included)
Connector: Integrated — includes P3 connector-to-bare wire pigtail (12" wire length)

4" Red Stop/Turn
Part Number: 74101122



Shape: Round
Dimensions: 4.2" Base Diameter, 4.3" Lens Diameter, 1" height (1.9" at Connector)
Certifications: FMVSS 108
Mounting: Grommet Mount (Grommet Included)
Connector: Integrated — Includes P3 connector-to-bare wire pigtail (12" wire length)

Marker Lights Our broad selection of marker, clearance and identification lamps will make your vehicle more visible and safer.

**Amber Marker/
Clearance**
Part Number: 75004222

Shape: Oblong
Dimensions: 2.6" x 1.1" with 1.9" screw hole centers
Certifications: FMVSS 108
Optical Rating: P2/P3
Mounting: Surface Mount—2 screws (included)



**Red Marker/
Clearance**
Part Number: 75004122

Shape: Oblong
Dimensions: 2.6" x 1.1" with 1.9" screw hole centers
Certifications: FMVSS 108
Optical Rating: P2/P3
Mounting: Surface Mount—2 screws (included)



**Amber Reflective
Fender/Side Marker**
Part Number: 75056222

Shape: Oval
Dimensions: 3.86" x 1.42" with 3" screw hole centers
Certifications: FMVSS 108
Optical Rating: P2A—Reflective
Mounting: Surface Mount
2 screws (not included)



**Amber Clearance/ID
Marker with Guard**
Part Number: 71502122A

Shape: Rectangle
Dimensions (bracket): 4.24" X 1.62" with 3.83" screw hole centers
Certifications: FMVSS 108
Optical Rating: P2/PC - Reflective
Mounting: Surface Mount
2 screws (included) Gasket Included







**Red Clearance/ID
Marker with Guard**
Part Number: 71501122R

Shape: Rectangle
Dimensions (bracket): 4.24" X 1.62" with 3.83" screw hole centers
Certifications: FMVSS 108
Optical Rating: P2/PC - Reflective
Mounting: Surface Mount
2 screws (included) Gasket Included



Bullet Markers

AMBER	RED	GREEN	WHITE
			
Part Number: 75020222	Part Number: 75020122	Part Number: 75020422	Part Number: 75020322
Shape: Round	Shape: Round	Shape: Round	Shape: Round
Dimensions: 0.74" Diameter (excluding grommet)	Dimensions: 0.74" Diameter (excluding grommet)	Dimensions: 0.74" Diameter (excluding grommet)	Dimensions: 0.74" Diameter (excluding grommet)
Certifications: FMVSS 108	Certifications: FMVSS 108	Certifications: FMVSS 108	Certifications: FMVSS 108
Optical Rating: P2PC	Optical Rating: P2PC	Optical Rating: P2PC	Optical Rating: P2PC
Mounting: Grommet Mount (grommet included)	Mounting: Grommet Mount (grommet included)	Mounting: Grommet Mount (grommet included)	Mounting: Grommet Mount (grommet included)

**Red Universal
Marker**
Part Number: 71369122

Shape: Oblong
Dimensions: 4" L X .75" H X 1.33" D
3" screw hole centers
Certifications: FMVSS 108
Optical Rating: P2A—Reflective
Mounting: Surface Mount—2 screws
Termination: .180 Bullet/Ring Terminal Ground
Metal grommet in screw holes prevents cracking of lens.



**Amber Universal
Marker**
Part Number: 71369222

Shape: Oblong
Dimensions: 4" L X .75" H X 1.33" D
3" screw hole centers
Certifications: FMVSS 108
Optical Rating: P2A—Reflective
Mounting: Surface Mount—2 screws
Termination: .180 Bullet/Ring Terminal Ground
Metal grommet in screw holes prevents cracking of lens.



Auxiliary Lights Specialized lighting for unique applications.

White Beacon

Part Number: 74400722



Shape: Cylinder

Dimensions:

4.25" High, 6.7" Base Diameter
with 5.99" Hole Circle Diameter

Certifications: SAE J845—Class 1

Mounting:

Surface Mount—3 Screws (included)

Flash Patterns: 4 Modes

(single/double/triple/quad)

**Docking/Cornering/
Curb Illumination**

Part Number: 73890021



Shape: Rectangle

Dimensions: 5.9" X 3.5"

Mounting: Recess Mounted with
Surface Mount Bezel

For additional information or to place an order

At GSS USA we work with the Commercial Vehicle Market to develop new global sources for OEM and aftermarket components and assemblies. From locating and qualifying new sources to complete 3PL sourcing/importing/warehousing solutions, we do it all. To learn more or to place an order, call **(888) 233-0187** or email **info@gss-usa.net**.

ISO 9001:2015
CERTIFIED COMPANY

